



柔性印版
Flexible printing plate

劲霸印机

柔性版清洗冲版机国际化的先锋

2007年出口至今

超级清洗机IV型隆重上市

Super cleaning IV appear in the market

1. 清洁力好
Good cleaning power
2. 操作便捷
Convenient operation
3. 循环用水
Recycle water
4. 环保节能
Energy saving
5. 运行全程可视
Visible operation



劲霸印机

为持续提供优质的清洗产品，请使用最新款。
Using the latest version to gain superior cleaning items.



超级清洗IV隆重上市

Super cleaning IV appear in the market


1

温水清洗,清洁能力显著提升

Use warm water to clear to improve the cleaning ability

出色的清洗能力

Good cleaning ability



1. 双毛刷螺旋式清洗不会损伤印版，同时不会产生清洗痕迹；
 2. 清洗刷速度可以调节；
 3. 温水清洗，清洁能力更优秀。
-
1. Double-brush spiral cleaning will not damage the printing plate, meanwhile, also no cleaning mark;
 2. The cleaning speed can be adjustable;
 3. cleaning it by warm water, which greatly improve the cleaning effect.

2

1. 操作性更便捷
2. 清洁水循环使用，更环保

1. the opeartion is more convenient
2. The cleaning water is constantly cyclic used, which is more environment

友好操作界面

Friendly operation interface



1. 清洗速度一键可调；
2. 清洗至干燥自助完成。

1. Cleaning speed can be adjustable by button;
2. From cleaning to dry procedure can be automatically finished.

3

保养更简单
可从四面开关设备门

Maintenance is more easy



便捷的设备维护保养 Convenient Maintenance



1. 清洗剂及水可重复循环使用，运行成本低；
 2. 自动补水反冲水功能；
 3. 双重过滤抽拉式水箱便于清洁。
-
1. Cleaning agent and water both can be repetitively used, and very low cost;
 2. automatic filling water and washing by a reverse direction.
 3. double-filter and drawing water tank can be more easily cleaned.

4

安全运行可保障

Safe Opeartion




1. 运行中出现作业异常，可提供报警并自助停机；
 2. 突发情况可一键即停。
-
1. The equipment will alarm and stop working automatically when problems happen;
 2. can immediately stop by button once sudden condition happen.

5

防止蛇行印版的功能

Prevent S-shaped condition



- 1.多重感应及纠偏装置，确保印版在清洗过程中不会产生错位，走偏等影响清洗的状况。
- 2.长尺寸板可用折叠传送杆。

1. Multiple induction & Correction equipment to avoid the dislocation during cleaning.
2. Folded pole match big plate if necessary.

5

运行全程可视

Opearition is Visible



设备盖版采用透镜亚克力，运行过程状态可视，安全放心。

The covering plate adopt transparent Acrylic material,it is visible during the cleaning machine work, it is more safe.

设备参数

Main parameters as below

| 型号 Model 参数 Parameter | III款 | | IV款 | |
|----------------------------------|------------------|------------------|------------------|------------------|
| | 1250 type | 1380 type | 1250 type | 1380 type |
| 印版宽度 Printing plate width | 300-1250mm | 300-1380mm | 300-1250mm | 300-1380mm |
| 最大清洗速度 Max cleaning speed | 3m/min | 3m/min | 3m/min | 3m/min |
| 工作功率 Power | 6KW | 8KW | 6KW | 8KW |
| 外形尺寸 Dimension | 1750*1120*1000mm | 1880*1120*1000mm | 1750*1120*1000mm | 1880*1120*1000mm |
| 水箱容积 Volume | 125L | | 150L | |
| 总质量 G.W | 368KG | 382KG | 378KG | 398KG |
| 选配项 Option and accessories | | | | |
| 快速风干功能 Rapid air drying function | | | | |
| 折叠收板台 Folded collecting plate | | | | |
| 折叠送板台 Folded convey plate | | | | |
| 不锈钢机箱 Stainless steel shell | | | | |

联系我们

contact us



联系人：缪经理 手机：13861776386 13961891666
邮箱：16669455702@qq.com
地址：无锡市梅村南丰工业园锡达路576-B